1. Factor.

a) $x^2 - 12x + 35$

b)
$$3k^2 - 10k - 8$$

c)
$$25m^2 - 49$$

d)
$$16y^2 + 72y + 81$$

2. Solve by factor.

a)
$$x^2 - x - 56 = 0$$

b)
$$6x^2 + 7x - 20 = 0$$

c)
$$9x^2 - 64 = 0$$

d)
$$9x^2 - 42x + 49 = 0$$

3. Complete the square.

a)
$$y = 3x^2 - 12x + 7$$

b)
$$y = 0.5x^2 - 5x - 3$$

c)	$y = 4x^2 - 12x + 9$
----	----------------------

d) $y = -2x^2 - 14x - 1$

4. Solve by complete the square. a) $5x^2 - 30x + 8 = 0$

a)
$$5x^2 - 30x + 8 = 0$$

b)
$$-\frac{1}{3}x^2 + 4x - 5 = 0$$

c)
$$6x^2 + 30x + 5 = 0$$

d)
$$-\frac{1}{2}x^2 - \frac{9}{2}x + 5 = 0$$

5. Solve by using the quadratic formula. a) $6x^2 + x - 48 = 0$

a)
$$6x^2 + x - 48 = 0$$

b) $5x^2 - 7x = 90$

c)
$$0.4x^2 + 0.2x = 1.7$$

d)
$$\frac{7}{2}x^2 - \frac{1}{2} = x$$

6. Solve.
a)
$$\sqrt{2}x^2 - 5x - \sqrt{8} = 0$$

b)
$$\frac{x^2+6}{3} - \frac{7}{2} = \frac{x+10}{2}$$

c)
$$\frac{2x-1}{x+5} = \frac{x+2}{x+3}$$

d)
$$\frac{x^2}{x^2 - 4} = \frac{2x}{x + 2}$$

7. Use the discriminant to determine the nature of the root. a) $x^2-8x-12=0$ b) $2x^2-5x-12=0$

a)
$$x^2 - 8x - 12 = 0$$

b)
$$2x^2 - 5x - 12 = 0$$

8. For what values of k does each equation have two different real roots?

a)
$$x^2 + kx + 9 = 0$$

b)
$$3x^2 + kx + 27 = 0$$

9. For what values of m does each equation have two equal real roots?

a)
$$4x^2 + mx + 9 = 0$$

b)
$$(2m-1)x^2-8x+6=0$$

10. For what values of n does each equation have no real roots?

a)
$$5x^2 + mx + 20 = 0$$

b)
$$nx^2 - 9x + n = 0$$

11. A ball is thrown into the air from the balcony of a condo and falls to the ground. The height h meters of the ball relative to the ground t seconds after being thrown is given by $h = -5t^2 + 18t + 20$. When will the ball reach 28 meters?

12. A rectangular lot is bordered on one side by a stream and on the other three sides by 20 meters of fencing. What are the dimensions of the lot if its area is 4350 m ² .	0
13. The second number is 4 more than 3 times the first number and their product are 480. I the numbers.	Find

